

GASTRONORM COMMERCIAL FREEZER



FIG 3

FIG 1

FIG 2



RAYNERS

CATERING EQUIPMENT HIRE

WWW.RAYNERS.CO.UK

020 8870 6000

Read instructions carefully before use

PLEASE READ CAREFULLY

Following the delivery of this appliance it must be left for a minimum of 2 hours to allow the gas to settle. If the appliance has to be tilted beyond 45 degrees to make the delivery then it must be left for a minimum of 5 hours. Failure to follow these instructions may result in serious damage being caused to the compressor.

1. Make sure appliance is sited on flat level ground and apply the brakes **(FIG 1)**
2. Read and understand the safety advice label which is attached to the lead.
3. Plug into a protected 13amp electricity supply.
4. Turn the red rocker switch **(FIG 2)** to the on position, it will illuminate and the fan will start.
5. **(PLEASE NOTE THAT SOME MODELS DO NOT HAVE THE ON/OFF ROCKER SWITCH THEY WILL START AS SOON AS THEY PLUGGED INTO THE SOCKET)**
6. The LED display panel **(FIG 3)** will illuminate and indicate the current temperature
7. A green snowflake appears on the LED screen to indicate that the fridge cooling down.
8. The display will drop in temperature until it reaches around 2 degrees and the snowflake will go out.
9. The fridge will go up and down in temperature as the thermostat cuts in and out, and the green snowflake will also go on and off as temperature fluctuates.
10. The light inside will automatically come on when the door is opened and the fan will stop.

SAFETY

1. Lead is a tripping hazard use caution.
2. Heavy equipment use caution when moving.

In the event of a breakdown or unsatisfactory working of hired equipment Rayners Catering Hirer Ltd should be notified of the fault. No attempt should be made to repair the item unless permission has been granted by Rayners Catering Hire to do so. No responsibility will be accepted by Rayners Catering Hire for any accident or damage resulting from the use of equipment hired whatever the cause.

**THIS IS TO CERTIFY THAT THIS APPLIANCE
HAS BEEN TESTED BY A
P.A.T TECHNICIAN
AND IS COMPLETE AND SAFE TO USE**



APPLIANCE:

ID NUMBER:

TYPE:

		GAS	ELECTRIC
--	--	------------	-----------------

TICK RELEVANT BOX

REGULATOR		HOSE		SPANNER	
PLUG		LEAD		MOTOR	
CONTROL KNOBS		NEONS		SWITCHES	
HANDLES		LEGS		WHEELS	
DOORS		FEET		BRAKES	
FLAME FAILURE DEVICE (FFD)		GAS VALVES		LAMPS	
IGNITOR/PIEZO		INSULATION		LID	
ELEMENT		BURNER		RESIDUAL CURRENT DEVICE (RCD)	
TRAY		SHELF		BOWL	
COVER		BRIQUETTES		LABELLING	
TAP DRAIN OFF		BURNER CAPS & RINGS		GENERAL CONDITION	
PROTECTIVE GAUZE		NETTING		CLIPS	
TROLLEY		FREESTANDING		TABLETOP	
ROTARY ARM		ROTTERY ASSEMBLY	QTY:	SAFETY	
TIGHTNESS TEST		INSULATION TEST		P.A. TESTED	
SAFE TO USE	YES NO				

TESTED BY:

DATE: